



GATORDECK I-1610 – Load & Deflection Table

LOAD = Lbs. / Sq. Ft.

CONCENTRATED LOAD



UNIFORM LOAD




COPYRIGHT © 1999, SEASAFE, INC.
Call us at 1-800-326-8842 or
email us at easy@seasafe.com

SPAN INCHES	LOAD TYPE									LOAD FOR	
		250	500	1000	1500	2000	2400	2800	3200	.25-inch deflection	.375-inch deflection
12	UL	250	500	1000	1500	2000	2400	2800	3200		
	UL deflection	.005	.005	.020	.029	.039	.047	.055	.063		
	CL	250	500	1000	1500	2000	2400	2800	3200		
	CL deflection	.007	.007	.029	.043	.050	.069	.081	.092		
18	UL	100	250	500	750	1000	1200	1500	1800		
	UL deflection	.006	.021	.042	.062	.083	.100	.125	.149		
	CL	100	250	500	750	1000	1200	1500	1800		
	CL deflection	.009	.023	.045	.068	.090	.108	.135	.162		
24	UL	100	200	300	400	600	800	1000	1200		
	UL deflection	.025	.050	.075	.099	.149	.199	.249	.298		
	CL	100	200	400	600	800	1000	1200	1500		
	CL deflection	.020	.041	.082	.122	.163	.204	.245	.306		
30	UL	100	250	300	400	500	600	800		434	650
	UL deflection	.058	.115	.173	.231	.288	.346	.461			
	CL	100	300	400	500	600	800	1000		677	1015
	CL deflection	.074	.111	.148	.165	.222	.295	.369			
36	UL	100	125	150	200	300	400			221	332
	UL deflection	.113	.141	.169	.226	.339	.452				
	CL	100	200	400	500	600	700			411	617
	CL deflection	.061	.122	.243	.304	.365	.426				
42	UL	100	100	125	150	250				139	209
	UL deflection	.135	.179	.224	.269	.449					
	CL	100	150	200	300	400				260	390
	CL deflection	.096	.144	.193	.269	.385					
48	UL	100	75	100	125					71	106
	UL deflection	.176	.265	.265	.441						
	CL	100	150	200	250					177	266
	CL deflection	.141	.212	.282	.353						


GATORDECK I-1615 – Load & Deflection Table

LOAD = Lbs. / Sq. Ft.

CONCENTRATED LOAD



UNIFORM LOAD




COPYRIGHT © 1999, SEASAFE, INC.
Call us at 1-800-326-8842 or
email us at easy@seasafe.com

SPAN INCHES	LOAD TYPE									LOAD FOR		
		250	500	1000	1500	2000	2500	3000	3500	4500	.25-inch deflection	.375-inch deflection
12	UL	250	500	1000	1500	2000	2500	3000	3500	4500		
	UL deflection	.002	.003	.007	.010	.013	.016	.023	.029			
	CL	250	500	1000	2000	3000	4000	5000	6000			
	CL deflection	.003	.006	.012	.024	.036	.048	.060	.072			
18	UL	250	500	1000	1500	2000	2500	3500	4500			
	UL deflection	.008	.015	.030	.045	.061	.076	.106	.136			
	CL	250	500	1000	2000	3000	4000	5000	6000			
	CL deflection	.008	.016	.031	.062	.093	.124	.155	.186			
24	UL	250	500	1000	1500	2000	2500	3000	3500			
	UL deflection	.023	.046	.091	.137	.183	.228	.274	.320			
	CL	500	1000	1500	2000	2500	3000	3500	4500			
	CL deflection	.036	.072	.108	.144	.180	.216	.252	.324			
30	UL	250	500	750	1000	1250	1500	1750	2000	1178	1178	
	UL deflection	.053	.106	.159	.212	.265	.318	.371	.424			
	CL	250	500	1000	1500	2000	2300	2600	2900	1812	2717	
	CL deflection	.035	.069	.138	.207	.276	.317	.359	.400			
36	UL	100	125	250	500	600	800	1000		631	947	
	UL deflection	.040	.050	.099	.198	.238	.317	.396				
	CL	200	400	600	800	1000	1200	1400		1179	1769	
	CL deflection	.042	.085	.127	.170	.212	.254	.297				
42	UL	100	125	200	300	400	600			315	473	
	UL deflection	.079	.099	.159	.238	.317	.476					
	CL	100	200	300	400	600	1000			693	1039	
	CL deflection	.036	.072	.108	.144	.217	.361					
48	UL	100	125	200	250	400				197	295	
	UL deflection	.127	.159	.254	.317	.508						
	CL	100	200	300	400	600				508	762	
	CL deflection	.049	.098	.148	.197	.295						
54	UL	75	100	125	250					140	210	
	UL deflection	.134	.178	.223	.446							
	CL	100	200	300	600					335	502	
	CL deflection	.075	.149	.224	.448							
60	UL	50	75	100						88	132	
	UL deflection	.142	.213	.284								
	CL	100	200	300						247	370	
	CL deflection	.101	.203	.304								


GATORDECK T-5020 – Load & Deflection Table

LOAD = Lbs. / Sq. Ft.

CONCENTRATED LOAD



UNIFORM LOAD



SPAN INCHES	LOAD TYPE									LOAD FOR	
		500	750	1000	1250	1500	2000	3000	4000	.25-inch deflection	.375-inch deflection
24	UL UL deflection	.025	.038	.007	.010	.013	.016	.023	.029		
	CL CL deflection	.021	.031	.042	.052	.062	.083	.125	.166		
30	UL UL deflection	.032	.065	.097	.129	.194	.258	.323	.387		
	CL CL deflection	.021	.042	.063	.083	.125	.167	.208	.250		
36	UL UL deflection	.025	.063	.125	.188	.250	.313	.375	.500		
	CL CL deflection	.014	.035	.069	.104	.139	.174	.208	.278		
42	UL UL deflection	.045	.057	.114	.227	.341	.454	.568		550	825
	CL CL deflection	.021	.027	.054	.107	.161	.214	.268		116	1750
48	UL UL deflection	.080	.200	.240	.320	.400	.480			313	469
	CL CL deflection	.032	.080	.095	.127	.159	.239			786	1179
54	UL UL deflection	.120	.150	.300	.360	.480				208	313
	CL CL deflection	.045	.112	.134	.178	.223				561	841
60	UL UL deflection	.146	.195	.389	.486					129	193
	CL CL deflection	.062	.156	.312	.469					400	600
66	UL UL deflection	.200	.267	.333	.400					94	141
	CL CL deflection	.080	.160	.240	.320					313	469
72	UL UL deflection	.281	.375	.469						67	100
	CL CL deflection	.103	.256	.410						244	366
78	UL UL deflection	.260	.390							48	72
	CL CL deflection	.129	.322							194	292

COPYRIGHT © 1999, SEASAFE, INC.

Call us at 1-800-326-8842 or

email us at easy@seasafe.com